



Design: O/M

Module with housing made of aluminium profile with integrated LED light source and frosted acrylic diffuser.

Includes cable to connect modules with male and female plug connector.


Components supplied separately: power supply, DALI dimmer, power cable, extension cable and fitting accessories 45°.

Maximum length of the sum of the modules: ≤4m.

LED CRI>80 / >50.000h, L80/B50 / 3-step MacAdam.

IP20 | 48Vdc



 LED	2700K		
		Light Source	Luminaire
	Power	21W	21W
	Flux	2370lm	1330lm
	Efficiency	113lm/W	63lm/W
	LOR	-	56%
	UGR	-	-



Beam angle
Diffuse

Application



Weight
0,27Kg



Finishes

● .25 Frost

Included

Fitting accessories 0°
34x19x7mm



Mandatory

18105 Power cable

2x0,35mm² (0,5m)

18106 Power cable

2x0,35mm² (1m)

18820 Power Supply 16W

On/Off

18821 Power Supply 30W

On/Off

18822 Power Supply 55W

On/Off

18823 Power Supply 75W

On/Off

18824 Power Supply 150W

On/Off

18833 LED Dimmer DALI

Optional

18107 Extension cable

2x0,35mm² (1m)

18108 Extension cable

2x0,35mm² (5m)

18831 Fitting accessories 45°

45x19,5x20mm



Limit Flat

Power cable


18105



Power cable for Limit.
Includes female connector at one
end.

Weight

0,0064Kg





Limit Flat

Power cable


18106




Power cable for Limit.
Includes female connector at one end.

Weight

0,011Kg






Limit Flat


Power Supply 16W

18820



Driver until 16W, 220/230Vac.
The driver's power should be higher than, and close to, the sum of the power of the modules.


Weight
0,210Kg



Limit Flat


Power Supply 30W

18821



Driver until 30W, 220/230Vac.
The driver's power should be higher than, and close to, the sum of the power of the modules.


Weight
0,440Kg



Limit Flat


Power Supply 55W

18822



Driver until 55W, 220/230Vac.
The driver's power should be higher than, and close to, the sum of the power of the modules.


Weight
0,250Kg



Limit Flat


Power Supply 75W

18823



Driver until 75W, 220/230Vac.
The driver's power should be higher than, and close to, the sum of the power of the modules.


Weight
0,8Kg



Limit Flat


Power Supply 150W

18824



Driver until 150W, 220/230Vac.
The driver's power should be higher than, and close to, the sum of the power of the modules.

Weight
0,950Kg



Limit Flat

LED Dimmer DALI

18833



Dimmer DALI

Weight
0,04Kg



Limit Flat


Extension cable


18107



Extension cable for Limit.
Optional
Includes male and female plug
connector

Weight
0,012Kg





Limit Flat

Extension cable

18108



Extension cable for Limit.
Optional
Includes male and female plug
connector

Weight
0,04Kg



Fitting accessories 45°

